

Rep.No: 2020FM03476R02

Sample Name:	Tablets of YEARUP Disinfection	Received Date:	29-02-2020
Test Items :	Arsenic Content(1%Arsenic Solution) Heavy Metal (1%Solution Lead Meter)	Completion Date:	02-03-2020

### 1.Equipments:

Test Sample : Tablets of YEARUP Disinfection

Used Equipment Name and No.: Electronic balance B1130-3935,OFM-B-H001

### 2. Method

1- Testing Base:<Hand washing Dishes Cleaner> GB 9985-2000 Appendix G, Appendix F.

### 3. Results :

Test Items	Test Result	GB9985-2000 Standard req.	Unit	Test Method
Heavy Metal (1%Solution Lead Meter)	<1	≤1	mg/Kg	GB 9985-2000 Appendix F
Arsenic Content(1%Arsenic Solution)	<0.05	≤0.05	Mg/Kg	GB 9985-2000 Appendix G

### 4.Conclusion :

Sample's Tablets of YEARUP Disinfection Arsenic Content(1%Arsenic Solution) is <0.05mg/Kg, Heavy Metal (1%Solution Lead Meter)<1mg/Kg, The Item Test Result is Keeping with Standard Required of <Hand washing Dishes Cleaner> GB 9985-2000.